

Forging Quality Steel Bars • SBQ Bars for Machining • Forged and Rough Turned Bars



CARBON & ALLOY STEEL BARS
ISO 9001 Certified

Cold Drawing • Saw Cutting • Bar Straightening • Heat Treated Bars • Just-in-Time Shipping



COLD DRAWN STEEL BARS SINCE 1936

Turret Steel Announces the Acquisition of Wilcox Steel

ROUNDS
.187" TO 1.000"

SQUARES
.375" TO .625"

HEXAGONS
.250" TO .750"

Carbon and Alloy and All Common Leaded Grades
 ISO 9001: 2008

SUNBELT-TURRET STEEL COMPANY HISTORY

Sunbelt Steel Company was established in 1987 in Charlotte, North Carolina. In 1998, Wayne Gould, second generation owner of Turret Steel Industries, Inc. (founded in 1970) acquired the company. Following this acquisition, Sunbelt Steel Company became known as Sunbelt-Turret Steel, Inc. (STS)

“The CEO’s vision for obtaining this company was to turn it into Turret South—a southern branch very much like Turret’s other operations in the Midwest and Northeast. What he eventually realized is that he needed to allow Sunbelt to be unique and continue to do what it does best” (METAL CENTER NEWS September 2006).

In 2004, Sunbelt-Turret moved into a 110,000 sq. ft. warehouse in Charlotte, NC.

In 2007, Sunbelt-Turret acquired a 100,000 sq. ft. warehouse in Cooper TX.

In 2008, Sunbelt-Turret acquired a 100,000 sq. ft. warehouse in Dos Palos, CA.


In 2009, Sunbelt-Turret acquired a 35,000 sq. ft. warehouse in South Windsor, CT. The fourteen-acre property allows for future expansion.


In 2009, Sunbelt-Turret Steel opened a sales office in Portland, OR.

In 2010, we acquired Wilcox Steel, a manufacturer of cold drawn bars located in Green Bay, WI.

Sunbelt-Turret Steel, Inc. is the premier distributor of Special Bar Quality carbon and alloy hot rolled and forged rough turned bar stock in sizes up to 32.000" in diameter. Sunbelt-Turret Steel specializes in providing steel sourcing solutions to manufacturers in the metals industry that require full-length bars or first operation ready (cut to length) blanks. Sunbelt-Turret Steel’s high-production, close-tolerance saws are strategically located to provide fast and accurate delivery services anywhere in the United States.

Turret Steel Industries is a distributor of Special Bar Quality carbon and alloy bar stock. The focus of our product offering includes rounds in sizes .500" through 12.000" diameters, squares, flats, round cornered squares, hexagons, billets and blooms. Our products are shipped throughout the United States, Canada and Mexico from warehouses and sales offices located in Chicago, IL; Warren, OH; Leetsdale, PA; Macomb, MI and Gainesville, FL.





Charlotte, NC

527 Atando Ave.,
Charlotte, NC 28206
704.342.4321
800.951.4140
800.951.4340 (fax)

Cooper, TX

PO Box 348
4140 Steel Bar Ave.
Cooper, TX 75432
888.951.4140
888.951.4340 (fax)

Dos Palos, CA

2965 West Almond Street
Dos Palos, CA 93620
866.951.4140
209.392.6200 (fax)

Portland, OR

11830 Southwest & Kerr Parkway #399
Lake Oswego, OR 97035
877.577.4140
503.477.7965 (fax)

South Windsor, CT

55 Corneau Way
South Windsor, CT 06074
866.940.4140
860.291.0300 (fax)



Cold Drawn Steel Bars Since 1936

Wilcox Steel
Green Bay, WI
920.347.4730

Fran Larson
Mike Elliot

flarson@wilcoxsteel.com
melliott@wilcoxsteel.com

FAST ACCURATE SAW CUTTING

One cut piece or one thousand cut pieces usually supplied from stock, often shipped same day

SUNBELT-TURRET STEEL, INC.

TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE
1.74	0.156	CD RD	4140	2.73	0.625	HR SCS	1045	11.40	0.812	HR RD	E9310	26.80	1.000	HR RD	1055
1.05	0.171	CF RD	4140ANN	4.35	0.625	HR HEX	1050	2.10	0.843	CD RD	1141	22.00	1.000	HR RD	1060
1.09	0.187	CD RD	4140	13.49	0.625	HR RD	1050	1.01	0.862	HR RD	A193 B-7	4.72	1.000	HR HEX	1060
1.07	0.187	CD RD	4140	46.87	0.625	HR HEX	1050	26.00	0.875	HR RD	1018	68.53	1.000	HR RD	1080
3.26	0.234	CD RD	4140ANN	100.00	0.625	HR RD	10B30	13.37	0.875	HR RD	1020	54.42	1.000	HR RD	1137 FG
5.22	0.250	CD HEX	1070	5.50	0.625	HR RD	1144	5.72	0.875	HR RD	1030	5.09	1.000	HR	1141
1.02	0.250	CD HEX	1080	4.40	0.625	HR RD	4140	16.19	0.875	HR RD	1035	11.25	1.000	HR RD	4130
0.17	0.250	CD HEX	1085ANN	0.29	0.625	CD SQ	4140ANN	44.23	0.875	HR RD	1045	2.00	1.000	T&P RD	4140
3.24	0.250	CD RD	4140ANN	19.46	0.625	HR RD	4140H	1.02	0.875	CD SCS	1045	47.18	1.000	CF RD	4140
1.00	0.250	CD HEX	41L40	6.00	0.625	HR RD	4340	60.17	0.875	HR RD	1045M	14.32	1.000	CD OCT	4140
6.36	0.250	CD HEX	41L40	2.24	0.625	HR FL	5160	10.71	0.875	HR RD	1050	2.50	1.000	HR RD	4140
1.94	0.281	CD RD	1141	3.87	0.625	HR RD	5160H	40.28	0.875	HR HEX	1050M	20.00	1.000	HR RD	4140 LS
5.65	0.312	CD HEX	1082	4.43	0.656	HR RD	1038	21.25	0.875	HR RD	1060	1.20	1.000	CD SQ	4140ANN
4.03	0.312	CD HEX	41L40	2.00	0.656	CD RD	4140ANN	76.56	0.875	HR RD	1080	46.07	1.000	HR RD	4140H
2.16	0.343	CD COIL	1055	3.29	0.687	HR RD	1035	74.29	0.875	HR RD	1137	8.22	1.000	HR RD	4150
7.14	0.343	CD RD	1144	27.53	0.687	HR RD	1045	20.00	0.875	HR RD	1541	5.43	1.000	HR RD	4340
9.61	0.375	HR FL	1045	1.85	0.687	HR RD	1050MOD	40.92	0.875	HR RD	4047	11.65	1.000	HR RD	4340
11.00	0.375	HR RD	1065	76.97	0.687	HR HEX	1050	8.37	0.875	HR RD	4130	2.01	1.000	Cd RD	4340ANN
3.84	0.375	CD HEX	1144	28.24	0.687	HR RD	1055	1.26	0.875	HR RD	4140	2.42	1.000	HR RD	8620BQ
2.51	0.394	CD RD	1018	12.00	0.687	HR RD	1541	4.72	0.875	HR	4140	39.41	1.000	HR RD	8620H
2.11	0.394	CD RD	4340ANN	1.88	0.687	HR RD	4047	1.21	0.875	CD RD	4140 ANN	13.00	1.000	CF RD	CrMoV
3.00	0.406	CD RD	4340 ANN	2.53	0.687	HR RD	4140	45.82	0.875	HR RD	4140H	33.63	1.018	CF RD	1045 H
24.00	0.437	HR RD	1055	36.19	0.687	HR RD	4140H	2.03	0.875	CD RD	4340ANN	21.11	1.031	CF RD	4140
2.92	0.437	HR RD	1065	4.38	0.687	CD RD	4340ANN	21.37	0.875	HR RD	8620	15.92	1.031	HR RD	4140
10.89	0.437	HR RD	4047	13.96	0.687	HR RD	8740	48.70	0.875	HR HEX	9260	40.00	1.031	CF RD	4140
8.71	0.437	HR RD	4340ANN	1.79	0.687	CD RD	4140ANN	5.10	0.875	HR RD	A105/105M	6.50	1.031	HR RD	4340ANN
4.68	0.437	CD HEX	1070	3.28	0.718	CD RD	1141	19.38	0.906	HR RD	1040	21.30	1.032	HR RD	1035
0.77	0.437	CF RD	1018	2.20	0.718	CD RD	4340ANN	29.62	0.906	HR RD	4047	88.00	1.062	HR RD	1010
11.00	0.468	HR RD	1065	8.25	0.743	T&P RD	4140H	6.50	0.906	HR RD	4340ANN	45.96	1.062	HR RD	1010IQ
14.26	0.468	HR RD	4047	16.31	0.750	HR RD	1018	13.72	0.910	HR RD	1045	34.72	1.062	HR RD	1018
2.11	0.468	CD RD	4340 ANN	14.94	0.750	HR RD	1045	5.94	0.910	CD RCS	8640	17.76	1.062	HR RD	1020
6.57	0.468	HR RD	4340ANN	0.52	0.750	HR HEX	1050MOD	20.00	0.910	CD SQ	8640	8.64	1.062	HR RD	1026
3.46	0.472	HR FL	1020	37.31	0.750	HR HEX	1050	11.75	0.910	CD RCS	9260	1.03	1.062	HR RD	1029M
1.02	0.500	CF RD	1215	22.35	0.750	HR RD	1055	20.00	0.910	CD SQ	9260	4.02	1.062	HR RD	1030
10.80	0.500	HR RD	1050	1.47	0.750	HR RD	4047	3.93	0.937	HR RD	1038	27.08	1.062	HR RD	1045
11.00	0.500	HR RD	1055	0.00	0.750	HR RD	4140	11.97	0.937	HR RD	1040	66.53	1.062	HR RD	1080
11.37	0.500	CD RD	1078	3.93	0.750	CD RD	4140ANN	18.84	0.937	CD RD	1045	12.04	1.062	HR RD	1117
4.49	0.500	HR RD	1144	1.01	0.750	CD HEX	4140ANN	18.03	0.937	HR RD	1055	11.38	1.062	HR RD	1141
5.44	0.500	CD HEX	1561	2.10	0.750	CD SQ	4140ANN	51.07	0.937	HR RD	1080	23.65	1.062	HR RD	1215CG
1.28	0.500	HR FL	4130	45.89	0.750	HR RD	4140H	3.74	0.937	HR RD	1138	26.99	1.062	HR RD	4140
1.05	0.500	CDSCS	4140	11.00	0.750	HR RD	4340	12.37	0.937	HR RD	1141 FG	5.50	1.062	HR HEX	4140
2.00	0.500	CD RD	4340 ANN	8.50	0.750	HR RD	4340ANN	23.03	0.937	HR RD	4140	72.45	1.062	CF RD	4140
24.00	0.531	HR RD	1055	7.22	0.750	HR HEX	5160 M	0.70	0.937	CD RD	4140ANN	20.70	1.062	HR RD	4140 LS
5.86	0.531	HR RD	8740	11.22	0.750	HR RD	8620	12.00	0.937	HR RD	4140H	3.73	1.062	CD RD	4140ANN
8.31	0.562	HR RD	1050	4.23	0.750	HR RD	8620H	2.44	0.937	HR RD	4150H	51.12	1.062	HR RD	4140H
45.00	0.562	HR HEX	1050	8.92	0.750	HR HEX	RAIL	16.73	0.968	HR RD	1035	21.30	1.062	HR RD	4340
24.00	0.562	HR RD	1055	4.33	0.760	CD RD	4340ANN	1.90	0.968	HR RD	1045	1.97	1.062	HR RD	8640
2.86	0.562	HR RD	1141	11.61	0.781	HR RD	1055	3.25	0.968	CD RD	1144	8.75	1.062	HR RD	8740
5.00	0.562	HR RD	4130AQ	2.05	0.781	HR RD	1060MOD	17.96	0.968	HR RD	4047	81.05	1.063	CF RD	4150M
13.01	0.562	HR RD	4140	4.10	0.808	HR RD	8620H	1.49	0.968	HR RD	4140AQ	2.00	1.063	HR RD	4340
2.25	0.562	CD RD	4340ANN	4.09	0.812	HR RD	1018	6.50	0.968	HR RD	4340ANN	31.03	1.063	CF RD	CrMoV
6.50	0.562	HR RD	4340ANN	26.68	0.812	HR RD	1020 AK	1.54	0.984	CD RD	4320	4.30	1.078	HR RD	1010
2.90	0.574	HR RD	A193 B-7	4.77	0.812	HR RD	1035	20.00	0.990	HR HEX	1060	31.23	1.093	HR Hex	1060
1.01	0.578	HR RD	1060 M	39.82	0.812	HR RD	1045	14.02	0.993	T&P RD	1045	2.06	1.125	RT RD	1018
17.17	0.593	HR RD	1050	1.79	0.812	HR RD	1055	3.24	0.993	T&P RD	4140	13.53	1.125	HR RD	1018
11.00	0.593	HR RD	1055	22.70	0.812	HR RD	4047	1.03	1.000	CF RD	1215	12.00	1.125	HR RD	1020
1.12	0.593	CD RD	1144	2.00	0.812	CD RD	4140ANN	42.00	1.000	HR RD	1018	107.79	1.125	HR RD	1022
8.80	0.593	HR RD	4340ANN	4.79	0.812	HR RD	4140H	6.88	1.000	HR RD	1030 FG	16.70	1.125	HR RD	1030
45.90	0.625	HR RD	1018	18.13	0.812	HR RD	4340	61.63	1.000	HR RD	1045	1.64	1.125	HR RD	1030 FG
1.08	0.625	CD RD	1018	3.20	0.812	CD RD	4340ANN	12.12	1.000	HR RD	1050	1.70	1.125	HR HEX	1045
"2,3"	0.625	HR RD	1040	11.00	0.812	HR RD	4340ANN	11.00	1.000	RCS	1050	1.25	1.125	HR	1045
18.85	0.625	HR RD	1045	42.48	0.812	HR RD	9260	20.00	1.000	HR HEX	1050M	30.49	1.125	HR RD	1045 QL2

SUNBELT-TURRET STEEL, INC.

TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE
2.07	1.125	HR RD	1137 ANN	7.85	1.312	HR RD	1018	75.05	1.500	HR SCS	1030	31.51	1.687	HR RD	1045
7.05	1.125	HR RD	1144 CG	11.20	1.312	HR RD	1020	42.41	1.500	HR RD	1030	10.12	1.687	HR RD	1045M31F
10.60	1.125	HR RD	4140	30.15	1.312	HR RD	1030	11.71	1.500	HR RD	1040	6.12	1.687	HR RD	1524 M4F
2.00	1.125	CD RD	4140ANN	73.88	1.312	HR RD	1045	46.71	1.500	HR RD	1045	12.76	1.687	CD RD	4140
64.07	1.125	HR RD	4140H	4.56	1.312	HR RD	1050	67.13	1.500	RCS	1045	7.10	1.687	CD RD	4140ANN
6.36	1.125	HR RD	4340	2.21	1.312	HR RD	1060	1.70	1.500	CD SCS	1045	21.00	1.687	HR RD	8620H
1.09	1.125	CD RD	4340ANN	25.89	1.312	HR RD	1117	12.11	1.500	HR RD	1045 QL2	11.16	1.687	HR RD	8620QL2
21.00	1.125	HR RD	8620H	14.00	1.312	HR RD	1137	11.68	1.500	HR RD	1050	8.02	1.687	HR RD	8640H
69.81	1.125	HR RD	CrMoV	7.12	1.312	HR RD	1141	28.53	1.500	HR RCS	1060	1.00	1.688	CD RD	1144
6.05	1.125	HR RD	M1020	3.55	1.312	HR RD	1144	110.29	1.500	HR RD	1060	2.10	1.688	HR RD	1144
11.58	1.145	HR RD	1117	4.61	1.312	HR RD	4130	2.44	1.500	HR RD	1060/65	1.70	1.750	CF RD	1144
5.22	1.147	RT RD	1117	21.25	1.312	CF RD	4140	14.40	1.500	HR RD	1141	44.30	1.750	HR RD	1018
21.32	1.156	HR RD	4140	35.00	1.312	HR RD	4140	22.50	1.500	HR RD	1541H	3.20	1.750	CD RD	1018
3.32	1.160	T&P RD	4140	43.46	1.312	HR RD	4140H	1.83	1.500	HR HEX	4140	15.72	1.750	HR RD	1025
29.87	1.187	HR RD	1030	4.56	1.312	HR RD	4340	12.27	1.500	HR RD	4140	21.00	1.750	HR RD	1030
14.58	1.187	HR RD	1035	42.27	1.312	HR RD	8620 QL3	125.38	1.500	HR RD	4140H	1.04	1.750	HR RD	1040
21.85	1.187	HR RD	1038	11.75	1.312	HR RD	8620H	67.71	1.500	HR RD	4140M	45.98	1.750	HR RD	1045
60.57	1.187	HR RD	1045	31.69	1.312	HR RD	CrMoV	15.98	1.500	HR RCS	4142	69.07	1.750	HR RCS	1045
23.36	1.187	HR RD	1117	3.73	1.343	HR RD	1038	40.00	1.500	CF RD	416R	5.14	1.750	CD RD	1045
8.43	1.187	HR RD	1141	46.17	1.343	HR RD	1117 C	17.91	1.500	HR RD	4340	45.85	1.750	HR RD	1045 M31
1.13	1.187	HR RD	1144	0.70	1.365	T&P RD	4140H	3.10	1.500	CF RD	4340AQ	18.24	1.750	HR RD	1045 QL2
5.11	1.187	HR RD	1144 CG	54.05	1.375	HR RD	1018	9.71	1.500	HR RD	6150	62.54	1.750	HR RD	1050
2.15	1.187	HR RD	1541	1.17	1.375	CD RD	1018	11.26	1.500	HR RD	8620	30.00	1.750	HR RCS	1060
11.34	1.187	HR RD	4140	14.56	1.375	HR RD	1030	2.22	1.500	CD RD	8620	29.84	1.750	HR RD	1117
1.96	1.187	CD RD	4140 ANN	30.00	1.375	HR SCS	1030	5.16	1.500	HR RD	8620AL QL3	11.77	1.750	HR RD	1141
17.90	1.187	HR RD	4140H	9.10	1.375	HR RD	1030M2F	35.83	1.500	HR RD	8620H	42.14	1.750	HR RD	1541H
17.87	1.187	HR RD	4340	133.06	1.375	HR RD	1040	28.97	1.562	HR RD	1018	1.76	1.750	HR RD	4120 M
7.89	1.187	HR RD	8620 QL3	5.75	1.375	HR RD	1080	21.00	1.562	HR RD	1020	8.14	1.750	HR RD	4130
50.72	1.200	CF RD	4140	2.94	1.375	HR RD	1117	20.93	1.562	HR RD	1026	2.30	1.750	CD RD	4140ANN
1.94	1.200	HR RD	4140	3.46	1.375	HR RD	1137CG	21.00	1.562	HR RD	1030	100.93	1.750	HR RD	4140H
17.27	1.218	HR Hex	1060	15.85	1.375	HR RD	1141	15.14	1.562	HR RD	1045	125.00	1.750	HR RD	4150 Mod
1.93	1.250	CF SQ	1018	1.95	1.375	HR RD	1144CG	37.73	1.562	HR RD	1045 QL2	6.10	1.750	HR RD	4150H
1.04	1.250	HR RD	1010	4.81	1.375	CD FLT	11L17	1.59	1.562	HR RD	1060	16.28	1.750	HR RD	4340
3.23	1.250	CD RD	1018	5.72	1.375	HR RD	35C MAX	31.16	1.562	HR RD	1117	12.00	1.750	HR RD	4340H
39.77	1.250	HR RD	1018	40.00	1.375	CF RD	4140	17.24	1.562	HR RD	1541	42.73	1.750	HR RD	8620 H
0.62	1.250	HR RD	1020	59.44	1.375	HR RD	4140H	21.00	1.562	HR RD	1541H	4.37	1.750	HR RD	A572 GR 60
43.92	1.250	HR RD	1025	7.12	1.375	HR RD	4340	143.72	1.562	HR RD	4140	1.84	1.750	HR RD	F1554-55
10.06	1.250	HR RD	1030	7.18	1.375	CD RD	4340 ANN	1.90	1.562	CD RD	4140 ANN	23.67	1.812	HR RD	1018
33.72	1.250	HR RCS	1045	10.00	1.375	HR RD	5160	76.77	1.562	HR RD	4140H	11.74	1.812	HR RD	1030
21.38	1.250	HR RD	1045	3.04	1.375	HR RD	8620	1.83	1.562	HR RD	4142H	23.08	1.812	HR RD	1045
1.24	1.250	CD SCS	1045	21.00	1.375	HR RD	8620H	14.64	1.562	HR RD	4150	29.00	1.812	HR RD	1045
29.20	1.250	HR RD	1045 QL2	2.41	1.378	TGP RD	4140QT	13.95	1.562	HR RD	8620	0.96	1.812	HR RD	10V50
33.19	1.250	HR RCS	1060	48.82	1.437	HR RD	1018	21.52	1.562	HR RD	8620H	11.96	1.812	HR RD	1541
10.94	1.250	HR RD	1137 ANN	16.13	1.437	HR RD	1030	3.87	1.625	HR RD	1010	31.25	1.812	HR RD	4140
28.71	1.250	HR RD	1141 FG	18.48	1.437	HR RD	1038	24.03	1.625	HR RD	1018	2.00	1.812	CD RD	4140ANN
17.76	1.250	HR RD	1144 CG	26.60	1.437	HR RD	1040	1.01	1.625	CD RD	1018	55.10	1.812	HR RD	4140H
24.24	1.250	HR RD	1541	26.33	1.437	HR RD	1045	22.69	1.625	HR RD	1035	51.28	1.875	HR RD	1018
10.08	1.250	HR RD	35C MAX	18.87	1.437	HR RD	1141	34.14	1.625	HR RD	1045	41.59	1.875	HR RD	1020
16.07	1.250	HR RD	4130	11.73	1.437	HR RD	1541H	40.65	1.625	HR RD	1050	16.33	1.875	HR RD	1035
6.00	1.250	HR RD	4140	11.29	1.437	HR RD	4130	21.81	1.625	HR RD	1141	144.68	1.875	HR RD	1045
46.08	1.250	CF RD	4140	16.12	1.437	HR RD	4140	0.90	1.625	HR RD	12L14	22.99	1.875	HR RD	1045 QL2
4.45	1.250	HR RD	4140 ANN	1.88	1.437	CD RD	4140ANN	20.52	1.625	HR RD	1541	27.92	1.875	HR RD	1050
20.00	1.250	HR RD	4140 LS	94.15	1.437	HR RD	4140H	1.86	1.625	T&P RD	4130	21.25	1.875	HR RD	1060
81.16	1.250	HR RD	4140H	16.23	1.437	HR RD	4320	38.78	1.625	CF RD	4140	10.99	1.875	HR RD	1080
9.04	1.250	HR RD	4140M	12.62	1.437	HR RD	5120	71.40	1.625	HR RD	4140	9.00	1.875	HR RD	1137
4.92	1.250	HR SQ	4150QT	9.97	1.437	HR RD	8620QL2	11.25	1.625	HR RD	4140 LS	11.56	1.875	HR RD	1141
12.52	1.250	HR RD	4340	1.68	1.438	CD RD	1018	3.66	1.625	HR RD	4150	13.73	1.875	HR RD	1144 CG
7.12	1.250	CD RD	4340ANN	2.13	1.438	HR RD	1026	2.51	1.625	HR RD	4340	5.14	1.875	HR RD	1524 M4F
5.01	1.250	HR RD	4340 QT	0.06	1.438	CD RD	1045	1.23	1.625	HR RD	4340 ANN	33.33	1.875	HR RD	4140
2.98	1.250	CD RD	8620	1.46	1.438	HR RD	1045	12.00	1.625	HR RD	4340H	40.00	1.875	CF RD	4140
1.37	1.250	HR RD	8620H	1.73	1.500	CD RD	1018	4.69	1.625	HR RD	8620	2.74	1.875	HR RD	4140 REM
15.40	1.250	CF RD	CrMoV	114.03	1.500	HR RD	1018	14.34	1.656	HR RD	1141 CG	2.80	1.875	CD RD	4140ANN
1.37	1.312	HR RD	4140QT	21.00	1.500	HR RD	1020	25.05	1.687	HR RD	1030	60.51	1.875	HR RD	4140H

SUNBELT-TURRET STEEL, INC.

TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE
1.88	1.875	CD RD	4340	29.06	2.125	HR RD	1030	60.78	2.375	HR RD	1045	33.95	2.625	HR RD	1541 QL2
42.90	1.875	HR RD	4340	23.78	2.125	HR RD	1040	4.47	2.375	HR RD	1045 M31F	4.00	2.625	HR RD	4140ANN
1.43	1.875	HR RD	8620	24.10	2.125	HR RD	1045	18.13	2.375	HR RD	1045 QL2	33.03	2.625	HR RD	4140H
14.98	1.875	HR RD	8620H	2.52	2.125	HR RD	1046	60.95	2.375	HR RD	1050	4.00	2.625	HR RD	8620
5.95	1.875	HR RD	8630	23.19	2.125	HR RD	1117	20.22	2.375	HR RD	1141	29.35	2.625	HR RD	8620H
49.00	1.937	HR RD	1030	20.15	2.125	HR RD	1141	6.00	2.375	HR RD	4130	13.41	2.625	HR RD	8637
36.70	1.937	HR RD	1045	1.23	2.125	HR RD	1215	71.14	2.375	HR RD	4140H	1.79	2.687	HR RD	1022
2.17	1.937	HR RD	10V45	7.91	2.125	HR RD	1524 M4F	32.98	2.375	HR RD	4150H	7.16	2.687	HR RD	A105/105M
13.58	1.937	HR RD	1141	25.38	2.125	HR RD	1541 QL2	7.65	2.375	HR RD	8620	1.92	2.688	HR RD	1541
1.25	1.937	HR RD	1522	35.39	2.125	HR RD	4140	49.87	2.375	HR RD	8620H	32.58	2.750	HR RD	1018
2.40	1.937	HR RD	4140	152.49	2.125	HR RD	4140H	13.95	2.375	HR RD	8630	1.13	2.750	HR RD	1030
27.91	1.937	HR RD	4140H	21.36	2.125	HR RD	4150H	5.21	2.437	HR RD	1018	43.26	2.750	HR RD	1035
10.00	1.937	HR RD	4150H	12.12	2.125	HR RD	8620	53.19	2.437	HR RD	10V45	1.59	2.750	HR RCS	1045
2.74	1.937	CF RD	8620H	20.69	2.125	HR RD	8620H	43.46	2.437	HR RD	4140H	62.53	2.750	HR RD	1045
135.00	1.969	HR RD	1541RH	19.30	2.155	CF RD	1541 QL2	4.90	2.438	HR RD	1045	13.62	2.750	HR RD	1050
1.76	2.000	CF SQ	1018	1.33	2.156	HR RD	4140	0.09	2.438	RDTB	1045	2.84	2.750	HR RD	1141
16.87	2.000	HR RD	1010	7.94	2.159	CD RD	1141 QL2	0.08	2.500	HR RD	4140	0.03	2.750	HR RD	1144
18.04	2.000	CD RD	1018	1.54	2.187	HR RD	1018	48.76	2.500	HR RD	1018	12.00	2.750	HR RD	1541
5.62	2.000	HR RD	1020	32.00	2.187	HR RD	1045	22.00	2.500	HR RD	1020	4.02	2.750	HR RD	4130QT
24.53	2.000	HR RD	1030	19.10	2.187	HR RD	1050	19.41	2.500	HR RD	1022	4.52	2.750	HR RD	4140ANN
35.00	2.000	HR RCS	1030	21.25	2.187	HR RD	1060	29.06	2.500	HR RD	1030	111.27	2.750	HR RD	4140H
266.46	2.000	HR RD	1045	18.39	2.187	HR RD	1141	55.79	2.500	HR RD	1035	2.01	2.750	HR RD	4140QT
18.38	2.000	RCS	1045	15.35	2.187	HR RD	4140H	2.34	2.500	HR RD	1040	1.56	2.750	RCS	4340
20.90	2.000	HR RD	1045 M31	45.69	2.187	HR RD	8620 QL3	1.15	2.500	HR RD	1040M	20.00	2.750	HR RD	4340
0.26	2.000	HR RD	1045 M31F	3.56	2.187	HR RD	8625	58.70	2.500	HR RD	1045	3.98	2.750	HR RD	4340QT
33.75	2.000	HR RD	1050	2.19	2.188	HR RD	1045	11.12	2.500	HR RD	1045 QL2	26.96	2.750	HR RD	8620H
31.58	2.000	HR RCS	1060	1.73	2.218	HR RD	4140	18.30	2.500	HR RD	1050	2.23	2.750	HR RD	8627H
4.07	2.000	HR RD	1117	20.33	2.250	HR RD	1018 FG	133.17	2.500	HR RD	1141	6.73	2.750	HR RD	A105/105M
19.84	2.000	HR RD	1141	25.81	2.250	HR RD	1029	2.02	2.500	CD RD	1144	66.79	2.750	HR RD	A615 GR 60
11.00	2.000	HR RD	1541	11.25	2.250	HR RD	1030	1.02	2.500	HR RD	1144C	1.03	2.812	HR RD	1018
0.45	2.000	RD RD	303SS	83.30	2.250	HR RCS	1045	22.54	2.500	HR RD	1541 QL2	2.33	2.812	HR RD	1022
11.25	2.000	HR RD	4130H	11.08	2.250	CD RD	1045	1.10	2.500	HR RD	15B35 MOD	22.50	2.812	HR RD	10V45
44.72	2.000	HR RD	4140	9.40	2.250	HR RD	1053	16.32	2.500	HR RD	4130	42.44	2.875	HR RD	1035
4.97	2.000	CD RD	4140ANN	41.80	2.250	HR RD	1141	3.26	2.500	HR RD	4130QT	37.56	2.875	HR RD	1045
3.07	2.000	HR RD	4140ANN	11.10	2.250	CD RD	1144	2.07	2.500	HR RD	4140ANN	14.80	2.875	HR RD	1141
45.20	2.000	HR RD	4140H	10.00	2.250	HR RD	12L14	1.03	2.500	CD RD	4140ANN	22.61	2.875	HR RD	1541 QL2
18.15	2.000	HR RD	4140M	2.74	2.250	HR RD	1522	75.99	2.500	HR RD	4140H	4.52	2.875	HR RD	4130
3.27	2.000	HR RD	4140QT	3.62	2.250	HR RD	1541	2.00	2.500	HR RD	4140QT	3.39	2.875	HR RD	4130H
29.62	2.000	HR RD	4142	77.22	2.250	HR RD	1541 QL2	21.00	2.500	HR RD	4320H	3.99	2.875	HR RD	4130m
9.81	2.000	HR RD	4320	1.10	2.250	HR RD	4130	6.02	2.500	HR RD	4340	23.68	2.875	HR RD	4140
12.59	2.000	HR RD	8620	19.21	2.250	HR RD	4140	18.74	2.500	HR RD	4340H	25.18	2.875	HR RD	4140H
0.09	2.000	HR RD	8630	5.14	2.250	HR RD	4140 BQ	2.98	2.500	HR RD	4340QT	4.01	2.875	HR RD	4340ANN
1.43	2.000	HR RD	E4340	79.44	2.250	HR RD	4140H	5.88	2.500	HR RD	8620	1.84	2.875	HR RD	8620
22.50	2.062	HR RD	1018	4.39	2.250	HR RD	4150QT	53.44	2.500	HR RD	8620H	62.95	2.875	HR RD	8620H
13.43	2.062	HR RD	1020	12.00	2.250	HR RD	4340	2.05	2.500	HR RD	A36M 55	220.00	2.900	RT RD	4350H
1.15	2.062	HR RD	1026	1.10	2.250	HR RD	8620	101.13	2.500	HR RD	CrMoV	1.02	2.937	HR RD	1141
3.49	2.062	HR RD	1029	63.69	2.250	HR RD	8620H	10.95	2.562	HR RD	1018	2.06	2.938	CD RD	1045
26.17	2.062	HR RD	1030	21.65	2.250	HR RD	8640	29.23	2.562	HR RD	1045	6.33	2.938	HR RD	1045
14.51	2.062	HR RD	1045	2.12	2.250	HR RD	8740	18.21	2.562	HR RD	1045 QL2	1.15	2.938	HR RD	1141
21.00	2.062	HR RD	1045 QL2	69.18	2.312	HR RD	1045	13.60	2.562	HR RD	1117 FG	5.00	3.000	CD HEX	1018
19.46	2.062	HR RD	1050	10.47	2.312	HR RD	1117 FG	16.89	2.562	HR RD	1141 FG	46.68	3.000	HR RD	1018
21.25	2.062	HR RD	1060	11.83	2.312	HR RD	1541QL2	18.68	2.562	HR RD	1541H	21.56	3.000	HR RD	1030
21.96	2.062	HR RD	1117FG	30.46	2.312	HR RD	4117H	16.34	2.562	HR RD	4140H	51.82	3.000	HR RD	1045
25.83	2.062	HR RD	1141	10.00	2.312	HR RD	4820H	37.48	2.562	HR RD	8620H	5.22	3.000	HR RD	1045M31F
1.14	2.062	HR RD	4118	41.35	2.312	HR RD	8620	19.61	2.625	HR RD	1018	20.44	3.000	HR RD	1117
10.48	2.062	HR RD	4140	2.92	2.312	HR RD	8630	23.36	2.625	HR RD	1020	45.00	3.000	HR RD	1141 QL2
21.00	2.062	HR RD	4140H	12.09	2.313	CD RD	1018	23.22	2.625	HR RD	1035	63.23	3.000	HR RD	1541
10.00	2.062	HR RD	5160	11.10	2.313	CD RD	1117	21.24	2.625	HR RD	1045	3.49	3.000	HR RD	4120
13.75	2.062	HR RD	8620 QL4	4.28	2.313	HR RD	1141	21.00	2.625	HR RD	1045 QL2	6.00	3.000	HR RD	4120H
24.82	2.062	HR RD	8620H	19.63	2.344	HR RD	15B35	12.15	2.625	HR RD	1045M31F	21.00	3.000	HR RD	4130
2.46	2.063	HR RD	4140	4.00	2.375	HR RD	1017	14.96	2.625	HR RD	1141	33.00	3.000	HR RD	4130H
22.50	2.125	HR RD	1017	43.98	2.375	HR RD	1018	6.11	2.625	HR RD	1141 FG	2.74	3.000	RCS	4135H QL2
27.38	2.125	HR RD	1018	10.06	2.375	HR RD	1030	2.06	2.625	CD RD	1144	5.13	3.000	HR RD	4140ANN

SUNBELT-TURRET STEEL, INC.

TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE
90.29	3.000	HR RD	4140H	5.03	3.500	HR RD	1050	2.62	4.000	HR RD	11V41	2.70	4.500	HR RD	8620
22.50	3.000	HR RD	4140H QL22	21.00	3.500	HR RD	1050 M5F	23.29	4.000	HR RD	4130H	163.90	4.500	HR RD	8620H
11.00	3.000	HR RD	4140QT	243.62	3.500	HR RD	1090	4.34	4.000	HR RD	4140	45.00	4.500	HR RD	8620H BQ
2.00	3.000	HR RD	4142 QT SR	26.24	3.500	HR RD	1117	6.26	4.000	HR RD	4140ANN	35.00	4.500	HR RD	8630H
1.32	3.000	HR RD	4150H	0.62	3.500	CD RD	1117	259.39	4.000	HR RD	4140H	43.90	4.625	HR RD	1018
21.00	3.000	HR RD	4320H	80.76	3.500	HR RD	1141 QL2	8.98	4.000	HR RD	4140QT	8.04	4.625	HR RD	1045
2.27	3.000	HR RD	4340 ANN	4.09	3.500	CD RD	1144	1.55	4.000	HR RS	4150QT	4.10	4.625	HR RD	10V45
22.15	3.000	HR RD	4340H	2.93	3.500	HR RD	1215	1.29	4.000	HR RD	4320H	10.53	4.625	HR RD	8637
3.60	3.000	CD RD	8620	1.96	3.500	HR RD	4120	11.05	4.000	HR RD	4340ANN	4.29	4.750	HR RD	1018
4.41	3.000	HR RD	8620	31.00	3.500	HR RD	4120H QL2	2.07	4.000	HR RD	8620	49.68	4.750	HR RD	1045
45.00	3.000	HR RD	8620H	13.24	3.500	HR RD	4130	158.76	4.000	HR RD	8620H	22.57	4.750	HR RD	1141
14.82	3.000	HR RD	8640	11.45	3.500	HR RD	4130AQ QT	122.00	4.000	HR RD	8620H BQ	2.05	4.750	HR RD	1144M
10.00	3.000	HR RD	8822H QL2	21.00	3.500	HR RD	4130H	200.00	4.000	HR RD	8620H QL2	10.00	4.750	HR RD	4130H
4.50	3.000	HR RD	A105/105M	5.08	3.500	HR RD	4130QT	12.50	4.000	HR RD	EX15 QL2	7.64	4.750	HR RD	4140
1.25	3.012	TP RD	1045	6.49	3.500	HR RD	4140ANN	6.00	4.000	RCS	EX15 QL3	7.05	4.750	HR RD	4140ANN
31.41	3.062	HR RD	1045	252.50	3.500	HR RD	4140H	5.78	4.062	HR RD	1045	65.38	4.750	HR RD	4140H
0.54	3.062	HR RD	1137	4.96	3.500	HR RD	4140QT	5.89	4.125	HR RD	1018	3.65	4.750	HR RD	4140QT
20.00	3.062	HR RD	1144	4.41	3.500	HR RD	4142	116.98	4.125	HR RD	1045	1.65	4.750	HR RD	4150ANN
23.78	3.062	HR RD	1541 QL2	7.10	3.500	HR RD	4150QT	2.33	4.125	HR RD	1141	4.10	4.750	HR RD	4340ANN
21.00	3.125	HR RD	1018	22.00	3.500	HR RD	4340	4.37	4.125	HR RD	4140	5.20	4.750	HR RD	4340QT
4.33	3.125	HR RD	1040/1E0360	6.41	3.500	HR RD	4340 ANN	1.65	4.125	HR RD	4140QT	3.08	4.750	HR RD	8620
20.44	3.125	HR RD	1045	2.01	3.500	HR RD	4340QT	1.40	4.125	HR RD	8620	25.00	4.750	HR RD	8620H
1.05	3.125	HR RD	10V40	2.12	3.500	HR RCS	4340QT	4.20	4.125	HR RD	8630	15.00	4.750	HR RD	8637 M
7.77	3.125	HR RD	10V45	9.76	3.500	HR RD	8620	3.45	4.125	HR RD	8630H	5.81	4.875	HR RD	1045
11.09	3.125	HR RD	1117	50.67	3.500	HR RD	8620H	1.22	4.250	HR RD	1018	2.10	4.938	CD RD	1045
4.77	3.125	HR RD	1117 FG	2.52	3.562	HR RD	4140/42	13.60	4.250	HR RD	1045	1.08	4.938	TB RD	1045
7.97	3.125	HR RD	1141	45.47	3.625	HR RD	1018	50.00	4.250	HR RD	1045	5.66	4.938	HR RD	4140
4.57	3.125	HR RD	4130	2.18	3.625	HR RD	1045	50.00	4.250	HR RD	1141	131.28	5.000	HR RD	1018
43.00	3.125	HR RD	4140H	50.00	3.625	HR RD	1045 FG	2.41	4.250	HR RD	4130QT	50.20	5.000	HR RD	1030
9.06	3.125	HR RD	5120	7.74	3.625	HR RD	1117	6.36	4.250	HR RD	4140	19.73	5.000	HR RD	1045
21.72	3.250	HR RD	1018	150.07	3.625	HR RD	1141	8.42	4.250	HR RD	4140ANN	44.22	5.000	HR RD	1045
3.04	3.250	CD RD	1045	100.00	3.625	HR RD	4140H	350.00	4.250	HR RD	4140H	4.10	5.000	HR RD	1141 FG
4.30	3.250	HR RD	1045	6.22	3.625	HR RD	4150QT	4.94	4.250	HR RD	4140QT	3.90	5.000	HR RD	15B41
24.58	3.250	HR RD	1045 QL2	1.08	3.625	HR RD	8620H	1.41	4.250	HR RD	4150ANN	10.00	5.000	HR RD	4130H
21.80	3.250	HR RD	10V45	6.25	3.750	HR RD	1018	7.60	4.250	HR RD	4340QT	3.89	5.000	HR RD	4140
39.04	3.250	HR RD	1141	43.72	3.750	HR RD	1045	8.96	4.250	RT RD	8620	3.95	5.000	HR RD	4140 ANN
2.07	3.250	CD RD	1144	1.04	3.750	HR RCS	1045	129.75	4.250	HR RD	8620	1.35	5.000	HR RD	4140 QT
23.08	3.250	HR RD	1541 QL2	2.20	3.750	HR RD	1117	52.93	4.250	HR RD	8620H	88.63	5.000	HR RD	4140H
4.48	3.250	HR RD	4130	26.87	3.750	HR RD	4130H	73.40	4.375	HR RD	1018	30.24	5.000	HR RD	4140QT
16.29	3.250	HR RD	4140	2.18	3.750	HR RD	4140ANN	1.22	4.375	HR RD	1117	3.90	5.000	HR RD	4150QT
2.59	3.250	HR RD	4140ANN	171.00	3.750	HR RD	4140H	6.20	4.375	HR RD	1144	3.80	5.000	HR RD	4340ANN
5.29	3.250	HR RD	4140QT	3.30	3.750	HR RD	4150ANN	60.00	4.375	HR RD	8620	2.82	5.000	HR RD	4340QT
93.46	3.250	HR RD	4140H	4.14	3.750	HR RD	4150QT	20.00	4.375	HR RD	4140	60.00	5.000	HR RD	8620H
3.53	3.250	HR RD	4140QT	8.16	3.750	HR RD	4320H	3.40	4.438	HR RD	1018	192.00	5.000	HR RD	8620H BQ
1.13	3.250	HR RD	4150H	4.22	3.750	HR RD	8620	1.19	4.438	HR RD	1045	100.00	5.000	HR RD	8620H QL2
17.50	3.250	HR RD	4150QT	71.00	3.750	HR RD	8620H	4.78	4.500	HR RD	1018	20.00	5.000	HR RD	8822H
3.86	3.250	HR RD	4340ANN	3.41	3.813	HR RD	1018	45.34	4.500	HR RD	1040	21.00	5.000	HR RD	8822H QL2
2.60	3.250	HR RD	8620	12.39	3.875	HR RD	1045	51.25	4.500	HR RD	1045	40.00	5.000	HR RD	EX15 QL2
37.36	3.250	HR RD	8620H	2.23	3.875	HR RD	1141	50.00	4.500	HR RD	1045 FG	4.30	5.000	HR RD	EX15 QL3
42.00	3.250	HR RD	8630H	10.00	3.875	T&P RD	4340	100.00	4.500	HR RD	1045 QL2	2.37	5.063	HR RD	1117
3.41	3.312	HR RD	1141	5.35	3.875	HR RD	8620	5.10	4.500	HR RD	1117	5.30	5.125	HR RD	1018
1.06	3.312	HR RD	11413	2.18	3.938	HR RD	1018	5.17	4.500	HR RD	1141	4.34	5.125	HR RD	1045
21.00	3.375	HR RD	1045	1.30	3.938	TP RD	1045	2.61	4.500	HR RD	1144	1.19	5.125	HR RD	10V45
1.32	3.375	CD RD	1117	18.51	4.000	Hr Rectang	1018	2.30	4.500	HR RD	4130	3.53	5.125	HR RD	4140
10.00	3.375	HR RD	4340H	54.59	4.000	HR RD	1018	5.71	4.500	HR RD	4130QT	39.36	5.125	HR RD	4140H
22.66	3.375	HR RD	8620	5.42	4.000	HR RD	1030	0.88	4.500	HR RD	4140	33.79	5.250	HR RD	1018
42.04	3.500	HR RD	1018	9.20	4.000	HR RD	1030/A105	7.90	4.500	HR RD	4140ANN	2.12	5.250	HR RD	1035
2.19	3.500	CD RD	1018	83.13	4.000	HR RD	1045	221.00	4.500	HR RD	4140H	8.11	5.250	HR RD	1045
2.80	3.500	HR RD	1020	100.00	4.000	HR RD	1045 QL2	23.95	4.500	HR RD	4140QT	100.00	5.250	HR RD	1045 QL2
86.78	3.500	HR RD	1022	3.02	4.000	HR RD	1141	1.81	4.500	HR RD	4145MODQT	5.90	5.250	HR RD	1117
8.01	3.500	HR RD	1030	50.00	4.000	HR RD	1141 FG	1.06	4.500	HR RD	4340	3.86	5.250	HR RD	1141
40.00	3.500	HR RD	1040	51.38	4.000	HR RD	1141 QL22	5.89	4.500	HR RD	4340ANN	12.40	5.250	HR RD	1141 FG
48.85	3.500	HR RD	1045	9.42	4.000	HR RD	1144	4.30	4.500	HR RD	4340QT	9.00	5.250	HR RD	4140

SUNBELT-TURRET STEEL, INC.

TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE
3.76	5.250	HR RD	4140ANN	2.60	6.000	HR RD	4340QT	4.30	7.250	HR RD	1144	8.82	8.750	HR RD	4340ANN
3.23	5.250	HR RD	4140QT	3.35	6.000	HR RD	8620	19.12	7.250	HR RD	4140ANN	6.81	8.750	HR RD	8620
1.80	5.250	HR RD	4150ANN	85.70	6.000	HR RD	8620H	8.96	7.250	HR RD	4140QT	41.20	9.000	HR RD	1018
4.00	5.250	HR RD	4340	1.10	6.000	HR RD	9310	5.24	7.250	HR RD	4340ANN	53.46	9.000	HR RD	1045
1.17	5.250	HR RD	4340ANN	13.87	6.250	HR RD	1018	10.42	7.250	HR RD	4340QT	11.10	9.000	HR RD	1117
3.05	5.250	HR RD	4340QT	2.20	6.250	HR RD	1030	12.23	7.250	HR RD	8620	2.50	9.000	HR RD	1141
7.60	5.250	HR RD	8620	34.79	6.250	HR RD	1045	20.89	7.500	HR RD	1018	9.90	9.000	HR RD	1144
25.00	5.250	HR RD	8620H BQ	4.59	6.250	HR RD	1117	52.55	7.500	HR RD	1045	3.10	9.000	FRT RD	4130QT
1.20	5.437	TB RD	1045	3.71	6.250	HR RD	1141	8.52	7.500	HR RD	1144	20.00	9.000	HR RD	4140
4.19	5.437	TP RD	4140QT	21.18	6.250	HR RD	1141 FG	12.61	7.500	HR RD	4140ANN	2.53	9.000	HR RD	4140ANN
13.48	5.500	HR RD	1018	5.57	6.250	HR RD	4140ANN	52.39	7.500	HR RD	4140H	12.30	9.000	HR RD	4140QT
2.82	5.500	HR RD	1035	20.00	6.250	HR RD	4140H	8.58	7.500	HR RD	4140QT	85.00	9.000	HR RD	4150
20.37	5.500	HR RD	1045	9.75	6.250	HR RD	4140QT	7.56	7.500	HR RD	4150QT	6.19	9.000	HR RD	4150QT
22.00	5.500	HR RD	1045 QL2	5.95	6.250	HR RD	4150ANN	56.62	7.500	HR RD	4340 ANN	30.40	9.000	HR RD	4340 ANN
11.59	5.500	HR RD	1144	7.79	6.250	HR RD	4150QT	16.06	7.500	HR RD	4340QT	20.96	9.000	HR RD	4340QT
1.80	5.500	HR RD	20MNCR5	11.53	6.250	HR RD	4340ANN	11.09	7.500	HR RD	8620	5.86	9.000	HR RD	8620
3.11	5.500	HR RD	4130ANN	15.78	6.250	HR RD	4340QT	7.75	7.750	HR RD	1018	2.47	9.063	HR RD	4340NORM
5.26	5.500	HR RD	4140ANN	8.83	6.250	HR RD	8620	10.60	7.750	HR RD	1045	2.80	9.250	HR RD	1018
95.00	5.500	HR RD	4140H	20.00	6.250	HR RD	E52100	13.30	7.750	HR RD	4140QT	37.48	9.250	HR RD	1045
25.00	5.500	RCS	4140H	116.16	6.500	HR RD	1018	3.10	7.750	HR RD	4150QT	3.66	9.250	HR RD	4140QT
12.60	5.500	HR RD	4140QT	2.11	6.500	HR RD	1026	4.40	7.750	HR RD	4340QT	85.18	9.250	HR RD	4150
2.20	5.500	HR RD	4145MODQT	84.64	6.500	HR RD	1045	1.96	7.750	HR RD	8620	4.30	9.250	HR RD	8620
3.88	5.500	HR RD	4150ANN	11.47	6.500	HR RCS	1045	31.50	8.000	HR RD	1018	10.64	9.500	HR RD	1018
16.65	5.500	HR RD	4340ANN	1.23	6.500	HR RCS	1045M	71.91	8.000	HR RD	1045	38.66	9.500	HR RD	1045
10.00	5.500	HR RD	4340HT	1.45	6.500	HR RD	1117	3.30	8.000	HR RD	1117	2.20	9.500	HR RD	1117
13.86	5.500	HR RD	4340QT	29.89	6.500	HR RD	1141	10.17	8.000	HR RD	1144	33.60	9.500	HR RD	1141
200.06	5.500	HR RD	8620	9.02	6.500	HR RD	1144	1.28	8.000	HR RD	4130QT	1.30	9.500	HR RD	1144
22.00	5.500	HR RD	8620H	11.30	6.500	HR RD	4140	5.19	8.000	HR RD	4140ANN	4.66	9.500	HR RD	4140ANN
25.00	5.500	HR RD	8620H BQ	10.82	6.500	HR RD	4140ANN	2.59	8.000	HR RD	4140QT	9.08	9.500	HR RD	4140QT
82.50	5.500	RCS	8620H QL2	9.01	6.500	HR RD	4140QT	25.00	8.000	HR RD	4150	2.89	9.500	HR RD	4150QT
25.00	5.500	HR RD	8620H QL2	2.24	6.500	HR RD	4145MODQT	5.41	8.000	HR RD	4150QT	2.95	9.500	HR RD	4340
2.20	5.500	RCS	8822H	2.27	6.500	HR RD	4150QT	35.36	8.000	HR RD	4340 ANN	3.96	9.500	HR RD	4340ANN
21.00	5.500	HR RD	8822H QL2	6.58	6.500	HR RD	4150QT	2.28	8.000	HR RD	4340QT	27.96	9.500	HR RD	4340H
1.78	5.625	HR RD	1018	25.75	6.500	HR RD	4340 ANN	3.79	8.000	HR RD	8620	3.86	9.500	HR RD	4340QT
3.29	5.625	HR RD	1045	4.30	6.500	HR RD	4340QT	1.77	8.250	HR RD	1018	18.05	9.500	HR RD	8620
3.10	5.629	HR RD	8620	19.51	6.500	HR RD	8620	31.75	8.250	HR RD	1045	8.91	9.750	HR RD	1018
8.40	5.750	HR RD	1018	2.75	6.750	HR RD	1018	3.64	8.250	HR RD	1141	4.90	9.750	HR RD	1045
22.20	5.750	HR RD	1045	25.56	6.750	HR RD	1045	20.00	8.250	HR RD	1141 FG	2.25	9.750	HR RD	1144
5.19	5.750	HR RD	1045 QL2	25.00	6.750	HR RD	1141	2.19	8.250	HR RD	4130QT	2.22	9.750	HR RD	4140QT
2.70	5.750	HR RD	1117	5.60	6.750	HR RD	4130QT	13.11	8.250	HR RD	4140ANN	2.79	9.750	HR RD	8620
3.19	5.750	HR RD	4140ANN	11.34	6.750	HR RD	4140ANN	14.96	8.250	HR RD	4140QT	2.66	10.000	FRT RD	1045
91.00	5.750	HR RD	4140H	21.92	6.750	HR RD	4140QT	15.00	8.250	HR RD	4340 ANN	78.35	10.000	HR RD	1018
7.25	5.750	HR RD	4140QT	2.88	6.750	HR RD	4340	6.80	8.250	HR RD	8620	123.92	10.000	HR RD	1045
2.13	5.750	HR RD	4145MODQT	14.16	6.750	HR RD	4340ANN	9.67	8.500	HR RD	1018	0.14	10.000	HR RD	1141
16.65	5.750	HR RD	4150ANN	5.78	6.750	HR RD	4340H	112.21	8.500	HR RD	1045	11.72	10.000	FRT RD	4130QT
5.80	5.750	HR RD	4340QT	7.37	6.750	HR RD	8620	5.76	8.500	HR RD	1117	3.89	10.000	HR RD	4140
3.90	5.750	HR RD	8620	397.38	7.000	HR RD	1018	36.57	8.500	HR RD	1141	5.87	10.000	FRT RD	4140ANN
5.04	5.875	HR RD	1018	73.78	7.000	HR RD	1045	2.99	8.500	HR RD	1144	10.30	10.000	HR RD	4140ANN
25.08	6.000	HR RD	1018	10.20	7.000	HR RD	1144	11.10	8.500	HR RD	4130QT	2.98	10.000	FRT RD	4140QT
2.97	6.000	HR RD	1018 MBQ	8.42	7.000	HR RD	4130 AQ	11.32	8.500	HR RD	4140ANN	29.94	10.000	HR RD	4140QT
106.24	6.000	HR RD	1045	13.16	7.000	HR RD	4130QT	16.24	8.500	HR RD	4140QT	2.21	10.000	HR RD	4150QT
7.60	6.000	TP RD	1045	7.38	7.000	HR RD	4140	2.19	8.500	HR RD	4145MODQT	48.32	10.000	HR RD	4340 ANN
20.85	6.000	HR RD	1045 QL2	11.22	7.000	RT RD	4140	6.65	8.500	HR RD	4150QT	2.15	10.000	HR RD	4340AQANN
4.40	6.000	HR RD	1117	5.08	7.000	HR RD	4140ANN	23.61	8.500	HR RD	4340 ANN	3.40	10.000	FRT RD	4340QT
20.51	6.000	HR RD	1141	25.00	7.000	HR RD	4140H	10.40	8.500	HR RD	4340QT	11.32	10.000	HR RD	4340QT
3.73	6.000	HR RD	4130	20.10	7.000	HR RD	4140QT	7.77	8.500	HR RD	8620	5.66	10.000	HR RD	8620
2.45	6.000	HR RD	4130QT	7.90	7.000	HR RD	4150QT	2.13	8.750	FRT RD	1045	2.70	10.125	RT RD	8620
3.90	6.000	HR RD	4140ANN	19.22	7.000	HR RD	4340 ANN	8.24	8.750	HR RD	1018	2.87	10.250	HR RD	1045
20.00	6.000	HR RD	4140H	8.11	7.000	HR RD	4340QT	22.15	8.750	HR RD	1045	3.70	10.250	HR RD	4140ANN
7.55	6.000	HR RD	4140QT	14.93	7.000	HR RD	8620	11.90	8.750	HR RD	1117	1.17	10.500	FRT RD	1045
15.12	6.000	HR RD	4150ANN	8.80	7.000	HR RD	8620H	7.60	8.750	HR RD	4140ANN	4.63	10.500	FRT RD	8620
3.46	6.000	HR RD	4150QT	12.28	7.250	HR RD	1018	1.88	8.750	HR RD	4140QT	12.42	10.500	HR RD	1018
44.91	6.000	HR RD	4340 ANN	29.31	7.250	HR RD	1045	3.86	8.750	HR RD	4150QT	34.19	10.500	HR RD	1045

SUNBELT-TURRET STEEL, INC.

TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE	TONS	SIZE	SHAPE	GRADE
32.56	10.500	HR RD	1141	57.10	12.500	FRT RD	1045	30.95	15.500	FRT RD	4140QT	3.61	22.000	FRT RD	4130QT
4.27	10.500	FRT RD	4130QT	6.40	12.500	HR RD	1045	0.12	15.500	FRT RD	4340ANN	24.17	22.000	FRT RD	4140ANN
44.36	10.500	HR RD	4140 ANN	21.79	12.500	FRT RD	4140ANN	41.47	16.000	FRT RD	1018	15.21	22.000	FRT RD	4140QT
11.20	10.500	FRT RD	4140ANN	8.01	12.500	FRT RD	4140QT	55.75	16.000	FRT RD	1045	42.15	22.000	FRT RD	4340ANN
27.95	10.500	HR RD	4140QT	37.05	12.500	FRT RD	4340ANN	9.57	16.000	FRT RD	1141	40.77	22.000	FRT RD	4340QT
2.80	10.500	FRT RD	4150QT	5.52	12.500	HR RD	4340ANN	43.78	16.000	FRT RD	4140ANN	8.92	22.000	FRT RD	8620
3.70	10.500	HR RD	4150QT	2.98	12.500	FRT RD	4340QT	48.43	16.000	FRT RD	4140QT	4.80	23.000	FRT RD	1045
22.75	10.500	HR RD	4340 ANN	4.04	12.500	FRT RD	8620	15.06	16.000	FRT RD	4150QT	10.02	23.000	FRT RD	4130QT
10.88	10.500	HR RD	4340QT	2.80	12.500	HR RD	8620	21.65	16.000	FRT RD	4340ANN	5.67	23.000	FRT RD	4140QT
8.90	10.500	HR RD	8620	2.57	12.625	FRT RD	1045	11.23	16.000	FRT RD	4340QT	26.16	23.000	FRT RD	8620
3.19	11.000	FRT RD	1045	4.53	13.000	FRT RD	1018	6.70	16.000	FRT RD	8620	18.60	24.000	FRT RD	1018
31.97	11.000	HR RD	1018	2.20	13.000	FRT RD	1018	369.76	16.250	FRT RD	4340QT	36.34	24.000	FRT RD	1045
45.77	11.000	HR RD	1045	3.33	13.000	FRT RD	1045	5.50	16.500	FRT RD	1045	8.69	24.000	FRT RD	1141
5.10	11.000	HR RD	1141	107.71	13.000	FRT RD	1045	20.22	16.500	FRT RD	4140ANN	45.46	24.000	FRT RD	4140ANN
17.42	11.000	HR RD	1141 FG	1.50	13.000	FRT RD	4130QT	28.43	16.500	FRT RD	4140QT	27.34	24.000	FRT RD	4140QT
3.89	11.000	FRT RD	4140ANN	24.69	13.000	FRT RD	4140ANN	11.60	17.000	FRT RD	1018	60.61	24.000	FRT RD	4140QT
9.58	11.000	HR RD	4140ANN	3.30	13.000	HR RD	4140ANN	65.94	17.000	FRT RD	1045	27.47	24.000	FRT RD	4340ANN
25.00	11.000	HR RD	4140H	24.72	13.000	FRT RD	4140QT	8.58	17.000	FRT RD	1141	26.59	24.000	FRT RD	4340QT
11.60	11.000	FRT RD	4140QT	4.98	13.000	FRT RD	4150QT	27.36	17.000	FRT RD	4130QT	51.76	26.000	FRT RD	1045
22.79	11.000	HR RD	4140QT	33.66	13.000	FRT RD	4340ANN	4.30	17.000	FRT RD	4140ANN	4.59	26.000	FRT RD	1141
2.24	11.000	FRT RD	4150ANN	1.09	13.000	FRT RD	4340QT	109.14	17.000	FRT RD	4140QT	14.90	26.000	FGD RT	1045
1.12	11.000	HR RD	4150ANN	5.25	13.000	FRT RD	8620	3.43	17.000	FRT RD	4150QT	10.10	26.000	FRT RD	4140ANN
3.70	11.000	FRT RD	4150QT	6.23	13.500	FRT RD	1018	20.02	17.000	FRT RD	4340ANN	48.28	26.000	FRT RD	4140QT
16.77	11.000	HR RD	4340ANN	31.30	13.500	FRT RD	1045	13.88	17.000	FRT RD	4340QT	4.12	26.000	FRT RD	4340QT
2.90	11.000	FRT RD	4340QT	2.69	13.500	FRT RD	4140ANN	12.71	17.000	FRT RD	8620	28.90	28.000	FRT RD	1045
13.05	11.000	HR RD	4340QT	22.33	13.500	FRT RD	4140QT	7.11	17.500	FRT RD	1045	15.98	28.000	FRT RD	4140ANN
3.28	11.000	HR RD	8620	2.15	13.500	FRT RD	4150QT	31.16	18.000	FRT RD	1018	15.70	28.000	FRT RD	4140QT
4.34	11.500	FRT RD	1045	5.32	13.500	FRT RD	4340ANN	48.83	18.000	FRT RD	1045	20.14	30.000	FRT RD	1045
3.08	11.500	FRT RD	8620	4.76	13.500	FRT RD	4340QT	30.42	18.000	FRT RD	4140ANN	20.98	30.000	FRT RD	4140ANN
8.16	11.500	HR RD	1018	4.86	14.000	FRT RD	1018	94.52	18.000	FRT RD	4140QT	17.67	30.000	FRT RD	4140QT
43.53	11.500	HR RD	1045	91.82	14.000	FRT RD	1045	33.67	18.000	FRT RD	4150QT	26.70	32.000	FRT RD	1045
2.13	11.500	HR RD	1141	2.80	14.000	FRT RD	1141	63.26	18.000	FRT RD	4340ANN	23.14	32.000	FRT RD	4140ANN
20.00	11.500	HR RD	1141 FG	7.69	14.000	FRT RD	4130QT	27.83	18.000	FRT RD	4340QT	24.59	32.000	FRT RD	4140QT
10.31	11.500	FRT RD	4140ANN	4.79	14.000	FRT RD	4140ANN	3.41	18.000	FRT RD	8620				
20.70	11.500	HR RD	4140ANN	5.10	14.000	FRT RD	4140QT	2.19	19.000	FRT RD	1018				
4.43	11.500	FRT RD	4140QT	10.86	14.000	FRT RD	4140QT	45.05	19.000	FRT RD	1045				
6.88	11.500	HR RD	4140QT	2.10	14.000	FRT RD	4150ANN	21.70	19.000	FRT RD	4130QT				
3.39	11.500	HR RD	4150ANN	4.30	14.000	FRT RD	4150QT	28.65	19.000	FRT RD	4140ANN				
9.40	11.500	HR RD	4150QT	17.13	14.000	FRT RD	4340ANN	28.92	19.000	FRT RD	4140QT				
30.91	11.500	HR RD	4340 ANN	1.91	14.000	FRT RD	4340QT	2.41	19.000	FRT RD	4150ANN				
11.40	11.500	FRT RD	4340QT	15.82	14.000	FRT RD	8620	2.26	19.000	FRT RD	4340ANN				
10.20	11.500	FRT RD	8620ANN	28.66	14.500	FRT RD	1018	47.02	19.000	FRT RD	4340QT				
4.97	11.625	FRT RD	4340QT	136.09	14.500	FRT RD	1045	12.56	20.000	FRT RD	1018				
2.78	12.000	FRT RD	1018	5.69	14.500	FRT RD	4140ANN	73.49	20.000	FRT RD	1045				
35.71	12.000	FRT RD	1045	58.96	14.500	FRT RD	4140QT	11.62	20.000	FRT RD	1141				
1.56	12.000	FRT RD	1141	1.16	14.500	FRT RD	4340QT	40.10	20.000	FRT RD	4130NQT				
1.23	12.000	HR RD	4140	4.05	14.500	FRT RD	8620	14.90	20.000	FRT RD	4140 ANN				
24.35	12.000	HR RD	1018	16.34	15.000	FRT RD	1018	39.05	20.000	FRT RD	4140ANN				
64.61	12.000	HR RD	1045	20.31	15.000	FRT RD	1045	77.72	20.000	FRT RD	4140QT				
45.03	12.000	HR RD	1141	5.67	15.000	FRT RD	4130NQT	43.14	20.000	FRT RD	4340ANN				
4.50	12.000	FRT RD	4140ANN	11.64	15.000	FRT RD	4130QT	36.74	20.000	FRT RD	4340QT				
3.89	12.000	HR RD	4140ANN	18.22	15.000	FRT RD	4140ANN	14.41	20.000	FRT RD	8620				
45.00	12.000	HR RD	4140H	48.01	15.000	FRT RD	4140QT	17.25	21.000	FRT RD	1045				
3.88	12.000	FRT RD	4140QT	3.30	15.000	FRT RD	4150ANN	43.78	21.000	FRT RD	4130NQT				
3.30	12.000	HR RD	4140QT	2.66	15.000	FRT RD	4150QT	5.70	21.000	FRT RD	4130QT				
3.08	12.000	FRT RD	4150QT	34.71	15.000	FRT RD	4340ANN	3.40	21.000	FRT RD	4140ANN				
24.97	12.000	FRT RD	4340ANN	31.92	15.000	FRT RD	4340QT	4.80	21.000	FRT RD	4140QT				
4.42	12.000	HR RD	4340ANN	1.38	15.000	FRT RD	8620	3.90	21.000	FRT RD	4340ANN				
3.37	12.000	FRT RD	4340QT	18.56	15.500	FRT RD	1018	6.10	21.500	FRT RD	4140QT				
2.95	12.000	FRT RD	8620	21.96	15.500	FRT RD	1045	16.89	22.000	FRT RD	1018				
2.76	12.000	HR RD	8620	4.89	15.500	FRT RD	1141	36.16	22.000	FRT RD	1045				
8.02	12.250	FRT RD	4130QT	4.28	15.500	FRT RD	4130QT	12.80	22.000	FRT RD	1141				
14.04	12.500	FRT RD	1018	20.41	15.500	FRT RD	4140ANN	75.00	22.000	FRT RD	4130NQT				

This stock list is printed semi-annually. It is intended to give you a very good idea of the material we have on hand at the time of printing.

If you do not see the material that you require listed here, PLEASE contact us as it may have recently arrived.

Note: Mill rollings are available for nearly every size and grade of material that you require.

Please let us hear from you!

Visit us at: www.sunbeltturretsteel.com

CERTIFICATE OF REGISTRATION



Having been audited in accordance with requirements of

ISO 9001:2008 – ANSI/ISO/ASQ Q9001-2008

SRI Quality System Registrar, Seven Fields, Pennsylvania, USA, hereby grants to:

Turret Steel Industries, Inc.

Registration of the management system at its locations:

105 Pine Street, Imperial, Pennsylvania, USA
1750 Thomas Road, Warren, Ohio, USA
3900 W. 74th Street, Chicago, Illinois, USA
Sunbelt-Turret Steel, Inc., 527 Atando Avenue, Charlotte, North Carolina, USA
Sunbelt-Turret Steel, Inc., 4140 Steel Bar Avenue, Cooper, Texas, USA
Sunbelt-Turret Steel, Inc., 2965 West Almond St., Dos Palos, California, USA
Sunbelt-Turret Steel, Inc., 55 Corneau Way, South Windsor, Connecticut, USA


The conditions for maintaining this certificate of registration are set forth in the SRI registration agreements R20.3 and R20.4. Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2008 requirements may be obtained by consulting the organization.

Scope of ISO 9001:2008 registration: "Distributor of special bar quality carbon and alloy bar stock."
Exclusions: Design and Development; Service Provision; Validation of Processes for Production and Service Provision
Initial SRI registration date: February 23, 2005
Current registration period: January 26, 2010 through February 21, 2011

Signed for SRI:


Christopher H. Lake, President & COO

Certificate Date: January 26, 2010
Certificate Number: 008740
Registration Number: 2105-00



Charlotte, NC

800.951.4140

Brian Richardson
Charles Morgan
Jerry Webb
Katy Leischner
Keith Demma
Lisa Davis
Steve Atkinson
Seth Huestess

brichardson@sunbeltturretsteel.com
cmorgan@sunbeltturretsteel.com
jwebb@sunbeltturretsteel.com
kleischner@sunbeltturretsteel.com
kdemma@sunbeltturretsteel.com
ldavis@sunbeltturretsteel.com
satkinson@sunbeltturretsteel.com
sheustess@sunbeltturretsteel.com

Cooper, TX

888-951-4140

Don James
Randy LaJaunie
Darryl Canal

djames@sunbeltturretsteel.com
rlajaunie@sunbeltturretsteel.com
dcanal@sunbeltturretsteel.com

Dos Palos, CA

866.951.4140

Jake Klein
Vincent Higlieias
Chad Jawors

jklein@sunbeltturretsteel.com
vhiglieias@sunbeltturretsteel.com
cjawors@sunbeltturretsteel.com

Portland, OR

877-577-4140

Ken Tantare
Jim Hostetler


ktantare@sunbeltturretsteel.com
jhostetler@sunbeltturretsteel.com

South Windsor, CT

866-940-4140

Neil Stein
Ron Chase
Michael Conroy

nstein@sunbeltturretsteel.com
rchase@sunbeltturretsteel.com
mconroy@sunbeltturretsteel.com



Charlotte, NC, Fax: 800.951.4340
Dos Palos, CA, Fax: 209.392.6200
Portland, OR Fax: 503.477.7965

Cooper, TX, Fax: 888.951.4340
South Windsor, CT, Fax: 860.291.0300

ATTN: SALES -- FAX INQUIRY FORM

COMPANY NAME: _____

YOUR NAME: _____

EMAIL: _____

TELEPHONE: _____

FAX: _____

PRODUCT INQUIRY

QUANTITY	SIZE	HR OR CF	SHAPE	GRADE	LENGTH



**SUNBELT-
TURRET-
STEEL, INC.**

Place
Stamp
Here



Charlotte, NC

527 Atando Ave.,
Charlotte, NC 28206
704.342.4321
800.951.4140
800.951.4340 (fax)



Cooper, TX

PO Box 348
4140 Steel Bar Ave.
Cooper, TX 75432
888.951.4140
888.951.4340 (fax)



Dos Palos, CA

2965 West Almond Street
Dos Palos, CA 93620
866.951.4140
209.392.6200 (fax)



South Windsor, CT

55 Corneau Way
South Windsor, CT 06074
866.940.4140
860.291.0300 (fax)